

'DUCT NAME

	2000	1 (
1 11	A	
U		
		- 4

HMIS

Health [1]

Flammability [0]

GEL NO. 23 Roughening / Degreasing Gel

HS Graphic Arts

SECTION I	_ / / \
Manufacturer's Name Emergency Telephone Number	
ULANO CORPORATION CHEMTREC: (800)424-9300 or (703)527-3887	
Address (Number, Street,) Telephone Number for Information	'v
110 THIRD AVENUE (718) 237-4700 Fax #:(718) 802-1119	
(City, State, ZIP Code) Date Prepared May 23, 2007	
BROOKLYN, NY 11217 May 23, 2007 Signature of Preparer (optional)	
- Commence of the commence of	
SECTION II - Ingredients/Identity Information	
Ingredients (Specific Chemical Identity; C.A.S. # OSHA PEL ACGIH TLV Approx. Conc. Hazard Type	
WATER 7732-18-5 ~75%	
SILICON CARBIDE 409-21-2 10mg/m³ 15mg/m³ >5% PNOC	
TRIETHANOLAMINE 102-71-6 NOT SET 5mg/m³ <2% NON HAZARDO	
ACRYSOL NOT ESTAB. NOT SET NOT SET >5% NON HAZARDO	JS
THIS PRODUCT DOES NOT CONTAIN SARA TITLE III, SECTION 313 REPORTABLE MATERIAL	
VOC CONTENT = < 0.1% (BASED ON PRODUCT COMPONENTS) ULANO PRODUCTS ARE NOT MANUFACTURED WITH, NOR DO THEY CONTAIN CLASS-I OR CLASS-II OZONE DEPLETING CHEMICA	
SECTION III - Physical/Chemical Characteristics	_8.
Boiling Point Specific Gravity (H ₂ O=1)	
212°F APPROX. 1	
Vapor Pressure (mm Hg) Melting Point	
\.\	
or Density (AIR=1) Evaporation Rate (H ₂ O=1)	
N.A. APPROX. 1	
Solubility in Water	
SOLUBLE / DISPERSIBLE Appearance and Odor	
GRAY COLORED PASTE- NEARLY ODORLESS	
SECTION IV - FIRE AND EXPLOSION HAZARD DATA	
N.A. N.A. N.A. N.A. Stringuishing Media	
NON-FLAMMABLE	
Special Fire Fighting Procedures	
TREAT SURROUNDING FIRE	
Unusual Fire and Explosion Hazards NONE KNOWN	
SECTION V - Reactivity Data	
Stability Unstable Stable	
X X	
Conditions to Avoid NONE KNOWN	
NONE KNOWN	
Incompatibility (Material to Avoid)	
NONE KNOWN	
Hazardous Decomposition or Byproducts	
NONE KNOWN	
Hazardous Polymerization May Occur Will Not Occur	
X	
aditions to Avoid	

Reactivity [0]

Personal Protection [A]

	SECTION VI	-Health Hazard Data	
Route(s) of Entry	Inhalation?	Skin?	Ingestion?
	NO	NO	NO
Health Hazards (Acute and Chronic)			
NONE KNOWN			
5 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	NEDO	IADO Mara arranta o	00111 5 1 1 10
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
L Signs and Symptoms of Exposure	NO	NO	NO
OVER EXPOSURE CAN RESU	I T IN SKIN AND EYE IRRI	TATION.	
VERTEX COOKE OF ALL THE			
Medical Condition Generally Aggravated	by Exposure		
NONE KNOWN			
9 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		21 20	
Emergency and First Aid Procedures			
	CONTACT, FLUSH WITH	LARGE AMOUNTS OF WATER. IF IF	RRITATION RESULTS,
CALL A PHYSICIAN.			

	ECTION VIII Descent	ione for Cofe Hondling and Ho	
		ions for Safe Handling and Use	•
teps to be taken in case Material is Rel			
	HED DOWN DRAIN. LARG	SE SPILLS SHOULD BE ABSORBED	ONTO APPROPRIATE
IEDIA.		A A A A A A A A A A A A A A A A A A A	
- 220	10 Mg 1880 (1988)		
		ID LOCAL DECLINATIONS	
	RDANCE WITH STATE AN	ID LOCAL REGULATIONS.	
Waste Disposal Method DISPOSE OF MEDIA IN ACCO	RDANCE WITH STATE AN	ID LOCAL REGULATIONS.	
DISPOSE OF MEDIA IN ACCO		ID LOCAL REGULATIONS.	
Precautions to be taken in Handling and		ID LOCAL REGULATIONS.	
Precautions to be taken in Handling and		ID LOCAL REGULATIONS.	
		ID LOCAL REGULATIONS.	
Precautions to be taken in Handling and NONE KNOWN		ID LOCAL REGULATIONS.	
recautions to be taken in Handling and IONE KNOWN		ID LOCAL REGULATIONS.	
recautions to be taken in Handling and IONE KNOWN		ID LOCAL REGULATIONS.	
recautions to be taken in Handling and IONE KNOWN		ID LOCAL REGULATIONS.	
Precautions to be taken in Handling and	Storing		
Precautions to be taken in Handling and NONE KNOWN Other Precautions HONE KNOWN	Storing	II - Control Measures	
recautions to be taken in Handling and IONE KNOWN other Precautions IONE KNOWN espiratory Protection (Specify Type)	Storing		
recautions to be taken in Handling and IONE KNOWN ther Precautions IONE KNOWN espiratory Protection (Specify Type)	Storing SECTION VI	II - Control Measures	
recautions to be taken in Handling and IONE KNOWN Other Precautions IONE KNOWN espiratory Protection (Specify Type) IONE REQUIRED	Storing SECTION VII	II - Control Measures	Others
recautions to be taken in Handling and IONE KNOWN ther Precautions IONE KNOWN espiratory Protection (Specify Type) IONE REQUIRED	Storing SECTION VI	II - Control Measures	Other
recautions to be taken in Handling and IONE KNOWN ther Precautions IONE KNOWN espiratory Protection (Specify Type) IONE REQUIRED Local Exhaust X	Storing SECTION VII	II - Control Measures Ventilation Special	Other
recautions to be taken in Handling and IONE KNOWN ther Precautions IONE KNOWN espiratory Protection (Specify Type) IONE REQUIRED Local Exhaust X rotective Gloves	Storing SECTION VII	II - Control Measures Ventilation Special Eye Protection	Other
recautions to be taken in Handling and IONE KNOWN ther Precautions IONE KNOWN espiratory Protection (Specify Type) IONE REQUIRED Local Exhaust X rotective Gloves	Storing SECTION VII	II - Control Measures Ventilation Special	Other
Precautions to be taken in Handling and NONE KNOWN Other Precautions NONE KNOWN Despiratory Protection (Specify Type) NONE REQUIRED Local Exhaust X PLASTIC GLOVES Other Protective Clothing or Equipment	Storing SECTION VII	II - Control Measures Ventilation Special Eye Protection	Other
recautions to be taken in Handling and IONE KNOWN ther Precautions IONE KNOWN despiratory Protection (Specify Type) IONE REQUIRED Local Exhaust X rotective Gloves LASTIC GLOVES ther Protective Clothing or Equipment ROTECTIVE APRON	Storing SECTION VII	II - Control Measures Ventilation Special Eye Protection	Other
recautions to be taken in Handling and IONE KNOWN ther Precautions IONE KNOWN despiratory Protection (Specify Type) IONE REQUIRED Local Exhaust X rotective Gloves LASTIC GLOVES ther Protective Clothing or Equipment	Storing SECTION VII	II - Control Measures Ventilation Special Eye Protection	Other

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF ULANO CORP. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.